

RAW SEQUENCE LISTING ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number:	10/650,326A
Source:	1FWO -
Date Processed by STIC:	1/26/04 ~

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 703-308-4212; FAX: 703-308-4221

<u>Effective 12/13/03</u>: TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 4.1 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

http://www.uspto.gov/web/offices/pac/checker/chkr41note.htm

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

- 1 EFS-Bio (<http://www.uspto.gov/ebc/efs/downloads/documents.htm>, EFS Submission User Manual ePAVE)
- 2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
- Hand Carry directly to (EFFECTIVE 12/01/03):
 U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two. 2011 South Clark Place, Arlington, VA 22202
- 4. Federal Express, United Parcel Service, or other delivery service to: U.S. Patent and Trademark Office, Box Sequence, Room 4B03-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202

Revised 10/08/03



IFWO

RAW SEQUENCE LISTING

DATE: 04/26/2004

PATENT APPLICATION: US/10/650,326A

TIME: 09:51:48

Input Set : A:\SEQUENCE LISTING.txt

78 Lys His Asn Ser Ala Pro Met Phe Met Leu Asp Leu Tyr Asn Ala Met

Output Set: N:\CRF4\04122004\J650326A.raw

```
3 <110> APPLICANT: CURIS INC. AND WASHINGTON UNIVERSITY
 5 <120> TITLE OF INVENTION: CONJOINT ADMINISTRATION OF MORPHOGENS AND ACE INHIBITORS IN
         TREATMENT OF CHRONIC RENAL FAILURE
 8 <130> FILE REFERENCE: JJJ-P01-599
10 <140> CURRENT APPLICATION NUMBER: 10/650,326A
11 <141> CURRENT FILING DATE: 2003-08-28
13 <150> PRIOR APPLICATION NUMBER: 60/406,431
                                                          Does Not Comply
14 <151> PRIOR FILING DATE: 2002-08-28
                                                      Corrected Diskette Needer
16 <160> NUMBER OF SEQ ID NOS: 31
18 <170> SOFTWARE: PatentIn version 3.2
20 <210> SEQ ID NO: 1
21 <211> LENGTH: 139
22 <212> TYPE: PRT
23 <213> ORGANISM: Homo sapiens
25 <400> SEQUENCE: 1
27 Ser Thr Gly Ser Lys Gln Arg Ser Gln Asn Arg Ser Lys Thr Pro Lys
                   5
31 Asn Gln Glu Ala Leu Arq Met Ala Asn Val Ala Glu Asn Ser Ser Ser
35 Asp Gln Arg Gln Ala Cys Lys Lys His Glu Leu Tyr Val Ser Phe Arg
39 Asp Leu Gly Trp Gln Asp Trp Ile Ile Ala Pro Glu Gly Tyr Ala Ala
43 Tyr Tyr Cys Glu Gly Glu Cys Ala Phe Pro Leu Asn Ser Tyr Met Asn
47 Ala Thr Asn His Ala Ile Val Gln Thr Leu Val His Phe Ile Asn Pro
51 Glu Thr Val Pro Lys Pro Cys Cys Ala Pro Thr Gln Leu Asn Ala Ile
              100
                                  105
55 Ser Val Leu Tyr Phe Asp Asp Ser Ser Asn Val Ile Leu Lys Lys Tyr
   115
                               120
59 Arg Asn Met Val Val Arg Ala Cys Gly Cys His
      130
                           135
63 <210> SEQ ID NO: 2
64 <211> LENGTH: 97
65 <212> TYPE: PRT
66 <213> ORGANISM: Homo sapiens
68 <400> SEQUENCE: 2
70 His Arg Arg Leu Arg Ser Gln Glu Arg Arg Glu Met Gln Arg Glu Ile
                                      10
74 Leu Ser Ile Leu Gly Leu Pro His Arg Pro Arg Pro His Leu Gln Gly
                                   25
```

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/650,326A TIME: 09:51:48

DATE: 04/26/2004

Input Set : A:\SEQUENCE LISTING.txt

Output Set: N:\CRF4\04122004\J650326A.raw

79	35				40					45			
82 Ala Va	al Glu	Glu Gly	Gly	Gly	Pro	Gly	Gly	Gln	Gly	Phe	Ser	Tyr	Pro
83 50)			55					60				
86 Tyr Ly	s Ala	Val Phe	Ser	Thr	Gln	Gly	Pro	Pro	Leu	Ala	Ser	Leu	Gln
87 65			70					75					80
90 Asp Se	er His	Phe Leu	Thr	Asp	Ala	Asp	Met	Val	Met	Ser	Phe	Val	Asn
91		85		•		-	90					95	
94 Leu													
97 <210>	SEO ID	NO: 3											
98 <211>													
99 <212>													
100 <213>			mo sa	pien	s								
102 <400>				.p = 011								*	
104 Met H			r Leu	Ara	Ala	a Ala	Ala	Pro	His	Ser	Phe	Val	Ala
105 1	.10 .41	5			1110		10			502	1110	15	111.0
108 Leu T	rn Ala	_	u Phe	Len	Lei	ı Arc		Δla	Leu	Δla	Asn		Ser
109	.rp	20	u IIIç	. ca		25	DCI	1110	. 		30	1110	001
112 Leu <i>P</i>	Asn Asn		l His	Ser	Ser		Tle	His	Δτα	Δτο		Δrα	Ser
113	35	014 10			40				9	45	, 100	9	001
116 Gln G		Ara Gl	n Met	Gln		r Gl 11	Tle	Leu	Ser		Len	Glv	Len
	50	1119 01	u nec	55		, 010	. 110	. 1100	60	110	. Deu	OI y	Вси
120 Pro H		Pro Ar	a Pro		Lei	ı Glr	Glv	Lvs		Δan	Ser	Δla	Pro
121 65	110 1119	110 111	70	1110	100	. 011	· •- 1	75		11,01.	. Jer	1114	80
124 Met F	he Met	Ten As		Tyr	Agr	ıΔla	Met	-	Val	Glu	Glu	Glv	
125	ne nec	85	р деа	y -	1101	1110	90	711		0.10	014	95	O. y
128 Gly F	ro Glv		n Glv	Phe	Ser	ጉ ጥህተ		Tyr	Lvs	Ala	Val		Ser
129	10 017	100	11 GI y	1110	DCI	105		- 1 1 -	Буб	1110	110		OCI
132 Thr 6	iln Glv		o Leu	Ala	Ser			Asn	Ser	His			Thr
133	115				120			E		125			
136 Asp A		Met Va	1 Met	Ser			Asn	Leu	Val			Asp	Lvs
-	.30			135					140			P	-70
140 Glu F		His Pr	o Ara			His	Ara	Glu			Phe	Asp	Leu
141 145	,		150	-)	155					160
144 Ser I	vs Ile	Pro Gl	u Glv	Glu	Ala	Val	Thr			Glu	. Phe	Ara	
145	1	16	_				170				_	175	
148 Tyr I	asA sv			Glu	Arc	Phe			Glu	Thr	Phe		
149	-1	180	5			185	_				190		
152 Ser V	al Tvr	Gln Va	l Leu	Gln	Glu			Glv	Ara	Glu	Ser	Asp	Leu
153	195			-	200			1	5	205			
156 Phe I		Asp Se	r Ara	Thr			Ala	Ser	Glu			Trp	Leu
	210	<u>1</u>		215		- -			220		1	1	
160 Val F		Ile Th	r Ala			Asn	His	Trn			Asn	Pro	Ara
161 225	110p		230			- 101		235					240
164 His A	sn Len	Glv Le			Ser	· Val	Glu			Asn	Glv	Gln	
165		24			~		250				- - y	255	
168 Ile A	sn Pro			Glv	Len	ı Ile			His	Glv	Pro		Asn
169		260		- Y		265		9		1	270	~ 1	
172 Lys G	in Pro		t. Val	Αla	Phe			Ala	Thr	Glu		His	Phe
172 Lyb C	275	110			280		~y5			285			
	213				200					200			

RAW SEQUENCE LISTING PATENT APPLICATION: US/10/650,326A DATE: 04/26/2004 TIME: 09:51:48

Input Set : A:\SEQUENCE LISTING.txt
Output Set: N:\CRF4\04122004\J650326A.raw

176 Arg Ser Ile Arg Ser Thr Gly Ser Lys Gln Arg Ser Gln Asn Arg Ser 177 290 295 180 Lys Thr Pro Lys Asn Gln Glu Ala Leu Arg Met Ala Asn Val Ala Glu 310 315 184 Asn Ser Ser Ser Asp Gln Arg Gln Ala Cys Lys Lys His Glu Leu Tyr 325 330 188 Val Ser Phe Arg Asp Leu Gly Trp Gln Asp Trp Ile Ile Ala Pro Glu 345 192 Gly Tyr Ala Ala Tyr Tyr Cys Glu Gly Glu Cys Ala Phe Pro Leu Asn 355 360 196 Ser Tyr Met Asn Ala Thr Asn His Ala Ile Val Gln Thr Leu Val His 375 200 Phe Ile Asn Pro Glu Thr Val Pro Lys Pro Cys Cys Ala Pro Thr Gln 390 395 204 Leu Asn Ala Ile Ser Val Leu Tyr Phe Asp Asp Ser Ser Asn Val Ile 405 208 Leu Lys Lys Tyr Arg Asn Met Val Val Arg Ala Cys Gly Cys His 420 425 212 <210> SEQ ID NO: 4 213 <211> LENGTH: 139 214 <212> TYPE: PRT 215 <213> ORGANISM: Mus musculus 217 <400> SEQUENCE: 4 219 Ser Thr Gly Gly Lys Gln Arg Ser Gln Asn Arg Ser Lys Thr Pro Lys 223 Asn Gln Glu Ala Leu Arg Met Ala Ser Val Ala Glu Asn Ser Ser Ser 20 25 227 Asp Gln Arg Gln Ala Cys Lys His Glu Leu Tyr Val Ser Phe Arg 231 Asp Leu Gly Trp Gln Asp Trp Ile Ile Ala Pro Glu Gly Tyr Ala Ala 55 235 Tyr Tyr Cys Glu Gly Glu Cys Ala Phe Pro Leu Asn Ser Tyr Met Asn 70 239 Ala Thr Asn His Ala Ile Val Gln Thr Leu Val His Phe Ile Asn Pro 85 90 243 Asp Thr Val Pro Lys Pro Cys Cys Ala Pro Thr Gln Leu Asn Ala Ile 100 105 247 Ser Val Leu Tyr Phe Asp Asp Ser Ser Asn Val Ile Leu Lys Lys Tyr 115 120 251 Arg Asn Met Val Val Arg Ala Cys Gly Cys His 130 135 255 <210> SEQ ID NO: 5 256 <211> LENGTH: 139 257 <212> TYPE: PRT 258 <213> ORGANISM: Homo sapiens 260 <400> SEQUENCE: 5 262 Ala Val Arg Pro Leu Arg Arg Gln Pro Lys Lys Ser Asn Glu Leu 266 Pro Gln Ala Asn Arg Leu Pro Gly Ile Phe Asp Asp Val His Gly Ser

RAW SEQUENCE LISTING

DATE: 04/26/2004 PATENT APPLICATION: US/10/650,326A TIME: 09:51:48

Input Set : A:\SEQUENCE LISTING.txt

Output Set: N:\CRF4\04122004\J650326A.raw

```
267
270 His Gly Arg Glm Val Cys Arg Arg His Glu Leu Tyr Val Ser Phe Gln
            35
                                40
274 Asp Leu Gly Trp Leu Asp Trp Val Ile Ala Pro Gln Gly Tyr Ser Ala
278 Tyr Tyr Cys Glu Gly Glu Cys Ser Phe Pro Leu Asp Ser Cys Met Asn
                        70
282 Ala Thr Asn His Ala Ile Leu Gln Ser Leu Val His Leu Met Lys Pro
286 Asn Ala Val Pro Lys Ala Cys Cys Ala Pro Thr Lys Leu Ser Ala Thr
               100
                                    105
290 Ser Val Leu Tyr Tyr Asp Ser Ser Asn Asn Val Ile Leu Arg Lys His
                                120
294 Arg Asn Met Val Val Lys Ala Cys Gly Cys His
       130
298 <210> SEQ ID NO: 6
299 <211> LENGTH: 139
300 <212> TYPE: PRT
301 <213> ORGANISM: Mus musculus
303 <400> SEQUENCE: 6
305 Ala Ala Arg Pro Leu Lys Arg Arg Gln Pro Lys Lys Thr Asn Glu Leu
309 Pro His Pro Asn Lys Leu Pro Gly Ile Phe Asp Asp Gly His Gly Ser
                20
                                    25
313 Arg Gly Arg Glu Val Cys Arg Arg His Glu Leu Tyr Val Ser Phe Arg
                                40
317 Asp Leu Gly Trp Leu Asp Trp Val Ile Ala Pro Gln Gly Tyr Ser Ala
                            55
321 Tyr Tyr Cys Glu Gly Glu Cys Ala Phe Pro Leu Asp Ser Cys Met Asn
                                            75
325 Ala Thr Asn His Ala Ile Leu Gln Ser Leu Val His Leu Met Lys Pro
329 Asp Val Val Pro Lys Ala Cys Cys Ala Pro Thr Lys Leu Ser Ala Thr
333 Ser Val Leu Tyr Tyr Asp Ser Ser Asn Asn Val Ile Leu Arg Lys His
334
            115
                                120
337 Arg Asn Met Val Val Lys Ala Cys Gly Cys His
      130
341 <210> SEQ ID NO: 7
342 <211> LENGTH: 588
343 <212> TYPE: PRT
344 <213> ORGANISM: Drosophila melanogaster
346 <400> SEQUENCE: 7
348 Met Arg Ala Trp Leu Leu Leu Leu Ala Val Leu Ala Thr Phe Gln Thr
349 1
                    5
352 Ile Val Arg Val Ala Ser Thr Glu Asp Ile Ser Gln Arg Phe Ile Ala
356 Ala Ile Ala Pro Val Ala Ala His Ile Pro Leu Ala Ser Ala Ser Gly
357
```

RAW SEQUENCE LISTING

DATE: 04/26/2004 PATENT APPLICATION: US/10/650,326A TIME: 09:51:48

Input Set : A:\SEQUENCE LISTING.txt Output Set: N:\CRF4\04122004\J650326A.raw

360 Ser Gly Ser Gly Arg Ser Gly Ser Arg Ser Gly Gly Ala Ser Thr Ser 55 , 364 Thr Ala Leu Ala Lys Ala Phe Asn Pro Phe Ser Glu Pro Ala Ser Phe 368 Ser Asp Ser Asp Lys Ser His Arg Ser Lys Thr Asn Lys Lys Pro Ser 85 372 Lys Ser Asp Ala Asn Arg Gln Phe Asn Glu Val His Lys Pro Arg Thr 100 105 376 Asp Gln Leu Glu Asn Ser Lys Asn Met Ser Lys Gln Leu Val Asn Lys 115 120 380 Pro Asn His Asn Lys Met Ala Val Lys Glu Gln Arg Ser His His Lys 135 384 Lys Ser His His His Arg Ser His Gln Pro Lys Gln Ala Ser Ala Ser 150 155 388 Thr Glu Ser His Gln Ser Ser Ser Ile Glu Ser Ile Phe Val Glu Glu 165 392 Pro Thr Leu Val Leu Asp Arg Glu Val Ala Ser Ile Asn Val Pro Ala 180 185 396 Asn Ala Lys Ala Ile Ile Ala Glu Gln Gly Pro Ser Thr Tyr Ser Lys .195 200 400 Glu Ala Leu Ile Lys Asp Lys Leu Lys Pro Asp Pro Ser Thr Leu Val 215 220 404 Glu Ile Glu Lys Ser Leu Leu Ser Leu Phe Asn Met Lys Arg Pro Pro 230 235 408 Lys Ile Asp Arg Ser Lys Ile Ile Ile Pro Glu Pro Met Lys Lys Leu 245 250 412 Tyr Ala Glu Ile Met Gly His Glu Leu Asp Ser Val Asn Ile Pro Lys 260 265 416 Pro Gly Leu Leu Thr Lys Ser Ala Asn Thr Val Arg Ser Phe Thr His 280 420 Lys Asp Ser Lys Ile Asp Asp Arg Phe Pro His His Arg Phe Arg 295 424 Leu His Phe Asp Val Lys Ser Ile Pro Ala Asp Glu Lys Leu Lys Ala 310 315 428 Ala Glu Leu Gln Leu Thr Arg Asp Ala Leu Ser Gln Gln Val Val Ala 325 330 432 Ser Arg Ser Ser Ala Asn Arg Thr Arg Tyr Gln Val Leu Val Tyr Asp 340 345 436 Ile Thr Arg Val Gly Val Arg Gly Gln Arg Glu Pro Ser Tyr Leu Leu 355 360 440 Leu Asp Thr Lys Thr Val Arq Leu Asn Ser Thr Asp Thr Val Ser Leu 370 375 444 Asp Val Gln Pro Ala Val Asp Arg Trp Leu Ala Ser Pro Gln Arg Asn 390 395 448 Tyr Gly Leu Leu Val Glu Val Arg Thr Val Arg Ser Leu Lys Pro Ala 405 410 452 Pro His His His Val Arg Leu Arg Arg Ser Ala Asp Glu Ala His Glu 425 456 Arg Trp Gln His Lys Gln Pro Leu Leu Phe Thr Tyr Thr Asp Asp Gly

```
This is not explained in 22207-22237
section. See
invalid or you mean Tyv? P. 14 for error
is (Try) or Lys you mean Tyv?
explanation.
<210> SEQ ID NO 24
<211> LENGTH: 97
<212> TYPE: PRT
<213> ORGANISM: (Artificial
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (2)..(2)
<223> OTHER INFORMATION: Xaa is
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (3)..(3)
<223> OTHER INFORMATION: Xaa is Val or Ile
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (4)..(4)
<223> OTHER INFORMATION: Xaa is Ser, Asp or Glu
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (6)..(6)
<223> OTHER INFORMATION: Xaa is Arg, Gln, Ser, Lys or Ala
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (7)..(7)
<223> OTHER INFORMATION: Xaa is Asp or Glu
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (8)..(8)
<223> OTHER INFORMATION: Xaa is Leu, Val or Ile
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (11)..(11)
<223> OTHER INFORMATION: Xaa is Gln, Leu, Asp, is, Asn or Ser
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (12)..(12)
<223> OTHER INFORMATION: Xaa is Asp, Arg, Asn or Glu
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (13)..(13)
<223> OTHER INFORMATION: Xaa is Trp or Ser
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (14)..(14)
<223> OTHER INFORMATION: Xaa is Ile or Val
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (15)..(15)
<223> OTHER INFORMATION: Xaa is Ile or Val
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (16)..(16)
<223> OTHER INFORMATION: Xaa is Ala or Ser
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (18)..(18)
<223> OTHER INFORMATION: Xaa is Glu, Gln, Leu, Lys, Pro or Arg
<220> FEATURE:
```

```
<221> NAME/KEY: Variant
<222> LOCATION: (19)..(19)
<223> OTHER INFORMATION: Xaa is Gly or Ser
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (20)..(20)
<223> OTHER INFORMATION: Xaa is Tyr or Ser
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (21)..(21)
<223> OTHER INFORMATION: Xaa is Ala, Ser, Asp, Met, His, Gln, Leu or Gly
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (23)..(23)
<223> OTHER INFORMATION: Xaa is Tyr, Asn or Phe
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (26)..(26)
<223> OTHER INFORMATION: Xaa is Glu, His, Tyr, Asp, Gln, Ala or Ser
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (28)..(28)
<223> OTHER INFORMATION: Xaa is Glu, Lys, Asp, Gln or Ala
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (30)..(30)
<223> OTHER INFORMATION: Xaa is Ala, Ser, Pro, Gln, Ile or Asn
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (31)..(31)
<223> OTHER INFORMATION: Xaa is Phe, Leu or Tyr
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (33)..(33)
<223> OTHER INFORMATION: Xaa is Leu, Val or Met
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (34)..(34)
<223> OTHER INFORMATION: Xaa is Asn, Asp, Ala, Thr or Pro
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (35)..(35)
<223> OTHER INFORMATION: Xaa is Ser, Asp, Glu, Leu, Ala or Lys
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (36)..(36)
<223> OTHER INFORMATION: Xaa is Tyr, Cys, His, Ser or Ile
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (37)..(37)
<223> OTHER INFORMATION: Xaa is Met, Phe, Gly or Leu
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (38)..(38)
<223> OTHER INFORMATION: Xaa is Asn, Ser or Lys
<220> FEATURE:
<221> NAME/KEY: Variant
```

```
<222> LOCATION: (39)..(39)
<223> OTHER INFORMATION: Xaa is Ala, Ser, Gly or Pro
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (40)..(40)
<223> OTHER INFORMATION: Xaa is Thr, Leu or Ser
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (44)..(44)
<223> OTHER INFORMATION: Xaa is Ile, Val or Thr
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (45)..(45)
<223> OTHER INFORMATION: Xaa is Val, Leu, Met or Ile
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (46)..(46)
<223> OTHER INFORMATION: Xaa is Gln or Arg
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (47)..(47)
<223> OTHER INFORMATION: Xaa is Thr, Ala or Ser
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (48)..(48)
<223> OTHER INFORMATION: Xaa is Leu or Ile
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (49)..(49)
<223> OTHER INFORMATION: Xaa is Val or Met
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (50)..(50)
<223> OTHER INFORMATION: Xaa is His, Asn or Arg
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (51)..(51)
<223> OTHER INFORMATION: Xaa is Phe, Leu, Asn, Ser, Ala or Val
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (52)..(52)
<223> OTHER INFORMATION: Xaa is Ile, Met, Asn, Ala, Val, Gly or Leu
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (53)..(53)
<223> OTHER INFORMATION: Xaa is Asn, Lys, Ala, Glu, Gly or Phe
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (54)..(54)
<223> OTHER INFORMATION: Xaa is Pro, Ser or Val
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (55)..(55)
<223> OTHER INFORMATION: Xaa is Glu, Asp, Asn, Gly, val, Pro or Lys
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (56)..(56)
```

```
<223> OTHER INFORMATION: Xaa is Thr, Ala, Val, Lys, Asp, Tyr, Ser, Gly, Ile or
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (57)..(57)
<223> OTHER INFORMATION: Xaa is Val, Ala or Ile
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (58)..(58)
<223> OTHER INFORMATION: Xaa is Pro or Asp
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (59)..(59)
<223> OTHER INFORMATION: Xaa is Lys, Leu or Glu
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (60)..(60)
<223> OTHER INFORMATION: Xaa is Pro, Val or Ala
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (63)..(63)
<223> OTHER INFORMATION: Xaa is Ala or Val
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (65)..(65)
<223> OTHER INFORMATION: Xaa is Thr/ Al or Glu
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (66)..(66)
<223> OTHER INFORMATION: Xaa is Gln, Lys, Arg or Glu
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (67)..(67)
<223> OTHER INFORMATION: Xaa is Leu, Met or Val
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (68)..(68)
<223> OTHER INFORMATION: Xaa is Asn, Ser, Asp or Gly
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (69)..(69)
<223> OTHER INFORMATION: Xaa is Ala, Pro or Ser
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (70)..(70)
<223> OTHER INFORMATION: Xaa is Ile, Thr, Val or Leu
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (71)..(71)
<223> OTHER INFORMATION: Xaa is Ser, Ala or Pro
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (72)..(72)
<223> OTHER INFORMATION: Xaa is Val, Leu Met or Ile
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (74)..(74)
```

```
<223> OTHER INFORMATION: Xaa is Tyr or Phe
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (75)..(75)
<223> OTHER INFORMATION: Xaa is Phe, Tyr, Leu or His
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (76)..(76)
<223> OTHER INFORMATION: Xaa is Asp Asn or Leu
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (77)..(77)
<223> OTHER INFORMATION: Xaa is Asp, Glu, Asn, Arg or Ser
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (78)..(78)
<223> OTHER INFORMATION: Xaa is Ser, Gln, Asn, Tyr or Asp
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (79)..(79)
<223> OTHER INFORMATION: Xaa is Ser, Asn, Asp, Glu or Lys
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (80)..(80)
<223> OTHER INFORMATION: Xaa is Asn, Thr or Lys --
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (82)..(82)
<223> OTHER INFORMATION: Xaa is Ile, Val or Asn
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (84)..(84)
<223> OTHER INFORMATION: Xaa is Lys or Arg
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (85)..(85)
<223> OTHER INFORMATION: Xaa is Lys, Asn, Gln, His, Arg or Val
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (86)..(86)
<223> OTHER INFORMATION: Xaa is Tyr, Glu or His
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (87)..(87)
<223> OTHER INFORMATION: Xaa is Arg, Gln, Glu or Pro
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (88)..(88)
<223> OTHER INFORMATION: Xaa is Asn, Glu, Trp or Asp
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (90)..(90)
<223> OTHER INFORMATION: Xaa is Val, thr, Ala or Ile
<220> FEATURE:
<221> NAME/KEY: Variant
<222> LOCATION: (92)..(92)
<223> OTHER INFORMATION: Xaa is Arg, Lys, Val, Asp, Gln or Glu
```

<220> FEATURE: <221> NAME/KEY: Variant <222> LOCATION: (93)..(93) <223> OTHER INFORMATION: Xaa is Ala, Gly, Glu or Ser <220> FEATURE: <221> NAME/KEY: Variant <222> LOCATION: (95)..(95) <223> OTHER INFORMATION: Xaa is Gly or Ala <220> FEATURE: <221> NAME/KEY: Variant <222> LOCATION: (97)..(97) <223> OTHER INFORMATION: Xaa is His or Arg <400> SEQUENCE: 24 Leu Xaa Xaa Xaa Phe Xaa Xaa Xaa Gly Trp Xaa Xaa Xaa Xaa Xaa Xaa Pro Xaa Xaa Xaa Xaa Ala Xaa Tyr Cys Xaa Gly Xaa Cys Xaa Xaa Pro Xaa Xaa Xaa Xaa Xaa Xaa Xaa Asn His Ala Xaa Xaa Xaa Xaa Xaa 40 Xaa Xaa Xaa Xaa Xaa Xaa Xaa Leu Xaa Xaa Xaa Xaa Xaa Xaa Xaa Val Xaa Leu Xaa Xaa Xaa Xaa Met Xaa Val Xaa Xaa Cys Xaa Cys Sequerer 25 through 30 have Xaa's Applained, but not Artificial Sequeree". Xaa

see p./2

<210> SEQ ID NO 31
<211> LENGTH: 4
<212> TYPE: PRT
<213 ORGANISM Artificial pllds Illaration in 22207-2237

<223> OTHER INFORMATION: :
<400> SEQUENCE: 31
 Gly Gly Pro Pro

Also, several locations for Xaa showed Serj as an ameno acid represented by Xaa (on 12237 line)

RAW SEQUENCE LISTING ERROR SUMMARY PATENT APPLICATION: US/10/650,326A DATE: 04/26/2004 TIME: 09:51:49

Input Set : A:\SEQUENCE LISTING.txt

Output Set: N:\CRF4\04122004\J650326A.raw



Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:24; Xaa Pos. 2,3,4,6,7,8,11,12,13,14,15,16,18,19,20,21,23,26,28,30,31 Seq#:24; Xaa Pos. 33,34,35,36,37,38,39,40,44,45,46,47,48,49,50,51,52,53,54, Seq#:24; Xaa Pos. 55,56,57,58,59,60,63,65,66,67,68,69,70,71,72,74,75,76,77 Seq#:24; Xaa Pos. 78,79,80,82,84,85,86,87,88,90,92,93,95,97 Seq#:25; Xaa Pos. 2,3,4,5,7,8,9,11,12,13,16,17,18,19,20,21,23,24,25,26,28 Seq#:25; Xaa Pos. 31,33,35,36,38,39,40,41,42,43,44,45,49,50,51,52,53,54,55 Seq#:25; Xaa Pos. 56,57,58,59,60,61,62,63,64,65,68,70,71,72,73,74,75,76,77 Seq#:25; Xaa Pos. 79,80,81,82,83,84,85,87,89,90,91,92,93,95,97,98,100,102 Seq#:26; Xaa Pos. 2,3,4,5 Seq#:27; Xaa Pos. 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,18,19,20,21,22,23 Seq#:27; Xaa Pos. 24,26,28,30,31,32,33,34,35,36,37,38,39,40,41,42,43,44,45 Seq#:27; Xaa Pos. 46,47,48,49,50,51,52,53,54,55,56,57,58,59,60,61,63,65,66 Seq#:27; Xaa Pos. 67,68,69,70,71,72,74,75,76,77,78,79,80,81,82,83,84,85,86 Seq#:27; Xaa Pos. 87,88,89,90,91,92,93,95,97 Seq#:28; Xaa Pos. 2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,23,24 Seq#:28; Xaa Pos. 25,26,27,28,29,31,33,35,36,37,38,39,40,41,42,43,44,45,46 Seq#:28; Xaa Pos. 47,48,49,50,51,52,53,54,55,56,57,58,59,60,61,62,63,64,65 Seq#:28; Xaa Pos. 66,68,70,71,72,73,74,75,76,77,79,80,81,82,83,84,85,86,87 Seq#:28; Xaa Pos. 88,89,90,91,92,93,94,95,96,97,98,100,102 Seq#:29; Xaa Pos. 2,3,11,16,19,23,26,35,39,41,50,52,56,57,58,60,61,65,71,73 Seq#:29; Xaa Pos. 75,80,82,84,89,96 Seq#:30; Xaa Pos. 2,3

Invalid <213> Response:

Use of "Artificial" only as "<213> Organism" response is incomplete, per 1.823(b) of New Sequence Rules. Valid response is Artificial Sequence.

Seq#:24,25,26,27,28,29,30,31

Use of <220> Feature(NEW RULES):

error explanation Sequence(s) __are missing the <220> Feature and associated headings. Use of <220> to <223> is MANDATORY if <213> ORGANISM is "Artificial Sequence" or "Unknown". Please explain source of genetic material in <220> to <223> section (See "Federal Register," 6/01/98, Vol. 63, No. 104,pp.29631-32) (Sec.1.823 of new Rules)

Seq#:28,29,31,24,25,26,27,30

VERIFICATION SUMMARY

PATENT APPLICATION: US/10/650,326A

DATE: 04/26/2004 TIME: 09:51:49

Input Set : A:\SEQUENCE LISTING.txt

Output Set: N:\CRF4\04122004\J650326A.raw

L:2438 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:24 after pos.:0

M:341 Repeated in SeqNo=24

 $L:2838 \ M:341 \ W:$ (46) "n" or "Xaa" used, for SEQ ID#:25 after pos.:0

M:341 Repeated in SeqNo=25

 $\text{L:2893 M:341 W:} \ \text{(46)} \ \text{"n"} \ \text{or "Xaa" used, for SEQ ID$\#:26} \ \text{after pos.:0}$

L:3345 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:27 after pos.:0

M:341 Repeated in SeqNo=27

L:3380~M:258~W: Mandatory Feature missing, <220> Tag not found for SEQ ID#:28

L:3712 M:258 W: Mandatory Feature missing, <220> Tag not found for SEQ ID#:28

L:3828 M:258 W: Mandatory Feature missing, <220> Tag not found for SEQ ID#:28

L:3830 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:28 after pos.:0

M:341 Repeated in SeqNo=28

L:4008 M:258 W: Mandatory Feature missing, <220> Tag not found for SEO ID#:29

L:4010 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:29 after pos.:0

M:341 Repeated in SeqNo=29

L:4051 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:30 after pos.:0

L:4060 M:258 W: Mandatory Feature missing, <220> Tag not found for SEQ#:31, <213>

ORGANISM:Artificial

L:4060 M:258 W: Mandatory Feature missing, <223> Tag not found for SEQ#:31, <213>

ORGANISM: Artificial

L:4060 M:258 W: Mandatory Feature missing, <223> Blank for SEQ#:31,Line#:4060